

U.S. Department of Labor

Occupational Safety and Health Administration
1995 North Park Place
Suite 525
Atlanta, GA 30339
Phone: 678-903-7301 Fax: 770-984-8855



Citation and Notification of Penalty

To:

MFG Chemical, Inc
and its successors
1807 Kimberly Park Drive
Dalton, GA 30720

Inspection Number: 984914**Inspection Date(s):** 07/07/2014 - 09/26/2014**Issuance Date:** 12/22/2014**Inspection Site:**

1807 Kimberly Park Drive
Dalton, GA 30720

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with **Assistant Area Director, Therese Coleman**, during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type “OSHA” and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 12/22/2014. The conference will be held by telephone or at the OSHA office located at 1995 North Park Place, Suite 525, Atlanta, GA 30339 on _____ at

_____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 984914

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720
Issuance Date: 12/22/2014

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 1995 North Park Place, Suite 525, Atlanta, GA 30339**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.106(b)(2)(vii)(a): "Drainage and diked areas." The area surrounding a tank or a group of tanks shall be provided with drainage as in subdivision (b) of this subdivision, or shall be diked as provided in subdivision (c) of this subdivision, to prevent accidental discharge of liquid from endangering adjoining property or reaching waterways.

a) MFG Chemical-Kimberly Park: The employer failed to ensure that a dike, barrier, containment or means were maintained to contain flammable materials. There were (2) 4500 gallon storage tanks (ST-88 and ST-89) containing Torq Trim II (isopropyl alcohol) that did not have any means to control the flammable material to the immediate area.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

02/10/2015
\$5390.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.106(h)(7)(i)(a): Precautions shall be taken to prevent the ignition of flammable vapors. Sources of ignition include but are not limited to open flames; lightning; smoking; cutting and welding; hot surfaces; frictional heat; static, electrical, and mechanical sparks; spontaneous ignition, including heat-producing chemical reactions; and radiant heat.

a) MFG Chemical-Kimberly Park: The employer failed to ensure that operation of a LP gas industrial truck was not permitted in an area where flammable materials were being dispensed. An employee was operating a Komatsu LP gas forklift in the area where drumming of Torq Trim II (isopropyl alcohol) was being dispensed into 55 gallon drums. The equipment was capable of creating a mechanical spark from its operation in the area.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/12/2015
\$5390.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.119(d)(2)(i)(A): The process safety information (PSI) pertaining to the technology of the process did not include a block flow diagram that contained accurate information:

a) MFG Chemical, Inc.- Kimberly Park: The employer's PSI (Process Safety Information) pertaining to the technology of the process failed to contain an accurate block flow diagram and/or a simplified process flow diagram for processes to include, but not limited to, Torq Trim II (isopropyl alcohol) to indicate the flow of product within all major vessels. The diagram did not show the transfer of product to ST-88 and ST-89 and dispensing of the material into 55 gallon drums. Employees were exposed to a fire/explosion hazard while performing operator, forklift operations, drumming of materials and other activities for the manufacture of specialty chemicals.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/20/2015
\$5390.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.119(d)(3)(i)(A): The process safety information (PSI) pertaining to the equipment of the process did not include information pertaining to the material of construction:

a) MFG Chemical, Inc.: The employer's PSI (Process Safety Information) pertaining to the equipment of the process failed to contain information on the material of construction of vessels that may be affected by covered processes such as, but not limited to, Torq Trim II, BU 82076 and BU 82076 base.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/20/2015
\$2310.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.119(e)(3): The process hazard analysis did not address the identification of any previous incident which had a likely potential for catastrophic consequences in the workplace; engineering and administrative controls applicable to the process hazards; Consequences of failure of engineering and administrative controls; facility siting and human factors affecting the process.

a) MFG Chemical- Kimberly Park: The PHA (Process Hazard Analysis) for covered processes failed to address all factors required in the PHA evaluation such as, but not limited to, administrative and engineering controls; consequences of failure of engineering and administrative controls, facility siting and human factors,. Employees were exposed to a fire/explosion hazard and other hazardous conditions while manufacturing industrial specialty chemicals. i.e Torq Trim II, Amide Chloride and CSTHAI404M.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

02/10/2015
\$5390.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor

Occupational Safety and Health Administration

Inspection Number: 984914

Inspection Date(s): 07/07/2014 - 09/26/2014

Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc

Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.119(l)(1): The employer shall establish and implement written procedures to manage changes (except for "replacements in kind") to process chemicals, technology, equipment, and procedures; and, changes to facilities that affect a covered process.

a) MFG Chemical-Kimberly Park: The employer failed to implement a MOC (management of change) to establish a protocol that addressed the impact of safety and health on employees when assigned duties involving drumming of Torq Trim II which was moved to a new location. The change reflects deviation from normal operating procedures of drumming Torq trim II in the new production area to transferring the batch to a remote holding tank that was utilized to dispense the material into 55 gallon drums. The change impacted the safety and health considerations for other processes in the immediate area. Employees were exposed to the hazard of fire/explosion and other hazardous conditions while performing duties for the manufacture of industrial materials. (Torq Trim II).

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

01/20/2015

Proposed Penalty:

\$5390.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 2 Item 1 Type of Violation: **Repeat**

29 CFR 1910.110(e)(4)(iii): Permanent and removable fuel containers were not securely mounted to prevent jarring loose, slipping, or rotating:

a) Old Process Area: The employer failed to ensure that a LP gas cylinder was adequately secured on the Clark powered industrial truck. The latch designed to secure the cylinder was broken. Employees were exposed to a fire/explosion hazard while operating the industrial truck to move totes and drums containing chemicals in and around the production area.

MFG Chemical, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1910.110 (e)(4)(iii), which was contained in OSHA inspection number 438031, citation number 1, item number 2 and was affirmed as a final order on December 04, 2012, with respect to a workplace located at 453 Callahan Road, Dalton, Georgia.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/12/2015
Proposed Penalty:	\$7700.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc

Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 2 Item 2 Type of Violation: **Repeat**

29 CFR 1910.119(d)(3)(i)(B): The employer did not develop piping and instrument diagrams for the equipment that was part of the process.

a) MFG Chemical, Inc.: The employer did not develop an adequate P&ID (Piping and Instrumentation Diagram) that included all piping, equipment, valves and other components of the process equipment that existed within all major vessels exposing employees to a fire/explosion hazard. The P&ID did not show the transfer of product from the reactor to the holding tank ST-88 and ST-89; transfer of product from the holding tanks to drumming; and batching in reactor 11 and 12. Employees were exposed to materials such as, but not limited to, isopropyl alcohol, hydrogen peroxide, and other highly hazardous materials utilized in the processes. i.e. Torq Trim II.

MFG Chemical, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1910.119 (d)(3)(i)(B) which was contained in OSHA inspection number 438031, citation number 1, item number 3 and was affirmed as a final order on December 04, 2012, with respect to a workplace located at 453 Callahan Road, Dalton, Georgia.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

02/10/2015

Proposed Penalty:

\$10780.00



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 2 Item 3 Type of Violation: **Repeat**

29 CFR 1910.119(d)(3)(i)(D): The process safety information (PSI) pertaining to the equipment of the process did not include the relief system design and the design basis:

a) MFG Chemical, Inc.: The employer's PSI (Process Safety Information) pertaining to the equipment in the process failed to provide the relief system calculations and sizing of safety relief devices for the reactors, condensers, receivers and other pressure vessels. Employees were exposed to a fire/explosion hazard while performing duties involving the manufacture of specialty chemicals. i.e. Torq Trim II, Amide Chloride and 404.

MFG Chemical, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1910.119 (d)(3)(i)(D), which was contained in OSHA inspection number 438031, citation number 1, item number 4 and was affirmed as a final order on December 04, 2012, with respect to a workplace located at 453 Callahan Road, Dalton, Geo

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

02/10/2015

Proposed Penalty:

\$10780.00



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 2 Item 4 Type of Violation: **Repeat**

29 CFR 1910.146(g)(1): The employer did not provide training so that all employees whose work was regulated by 29 CFR 1910.146 (permit required confined spaces) acquired the understanding, knowledge, and skills necessary for the safe performance of the duties assigned under 29 CFR 1910.146:

a) MFG Chemical-Kimberly Park: The employer failed to ensure that training on permit confined space entry was implemented for all employees participating in confined space entry activities. Employees were exposed to inhalation hazards, oxygen deficient atmospheres, engulfment and other hazards while entering reactors, tanks and other confined spaces to perform repairs, maintenance and other activities. i.e hydrogen peroxide, ammonia, isopropyl alcohol and other hazardous material.

MFG Chemical, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1910.146 (g)(1), which was contained in OSHA inspection number 438031, citation number 1, item number 12b and was affirmed as a final order on December 04, 2012, with respect to a workplace located at 453 Callahan Road, Dalton, Georgia.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/20/2015
\$7700.00



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 2 Item 5 Type of Violation: **Repeat**

29 CFR 1910.165(b)(1): The employee alarm system did not provide warning for necessary emergency action as called for in the emergency action plan, or for reaction time for safe escape of employees from the workplace or the immediate work area, or both:

a) MFG Chemical, Inc. (Old Production Area-small): No warning mechanism was activated when over-pressurization of K-3 reactor occurred causing vapors to emerge from the reactor and consumed the production area requiring employees to evacuate the plant. No warning sign, as indicated by the company's emergency action plan, was activated to notify personnel in an adjoining production area or throughout other areas of the plant to evacuate.

On or about July 07, 2014 a massive vapor release occurred that resulted in serious life threatening injury to an employee. It was determined that failure to close and adequately secure the manway on K-3 reactor was not completed as charging of reactive chemical (hydrogen peroxide) were introduced into the reactor.

MFG Chemical, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1910.165(b)(1), which was contained in OSHA inspection number 438031, citation number 1, item number 15 and was affirmed as a final order on December 04, 2012, with respect to a workplace located at 453 Callahan Road, Dalton, Georgia.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

12/31/2014
\$10780.00



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 3 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.134(e)(1): The employer did not provide a medical evaluation to determine the employee's ability to use a respirator, before the employee is fit tested or required to use the respirator in the workplace:

a) MFG Chemical, Inc.: The employer failed to provide medical evaluations for all employees required to utilize a Drager full face respirator during periods of an exposure to determine the employees ability to utilize the respirator. Employees were exposed to materials such as, but not limited to, ammonia, isopropyl alcohol, maleic anhydride other hazardous materials while engaged in confined space entry, line breaking, inhalation of toxic materials, emergency situations and other periods of appropriate usage.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/12/2015
\$0.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 984914
Inspection Date(s): 07/07/2014 - 09/26/2014
Issuance Date: 12/22/2014



Citation and Notification of Penalty

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720

Citation 3 Item 2 Type of Violation: **Other-than-Serious**


29 CFR 1910.134(f)(1): The employer did not ensure that employee(s) required to use a tight-fitting facepiece respirator passed the appropriate qualitative fit test (QLFT) or quantitative fit test (QNFT):

a) MFG Chemical, Inc.: The employer failed to provide fit test for all employees required to utilize a Drager full face respirator during periods of an exposure. Employees were exposed to materials such as, but not limited to, ammonia, isopropyl alcohol, maleic anhydride other hazardous materials while engaged in confined space entry, line breaking, inhalation of toxic materials, emergency situations and other periods of appropriate usage.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

01/12/2015
\$0.00


Christi Griffin
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration
1995 North Park Place
Suite 525
Atlanta, GA 30339
Phone: 678-903-7301 Fax: 770-984-8855



INVOICE / DEBT COLLECTION NOTICE

Company Name: MFG Chemical, Inc
Inspection Site: 1807 Kimberly Park Drive, Dalton, GA 30720
Issuance Date: 12/22/2014

Summary of Penalties for Inspection Number	984914
Citation 1, Serious	\$29260.00
Citation 2, Repeat	\$47740.00
Citation 3, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES	\$77000.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your

original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.

To schedule an informal conference, contact Therese Coleman at 678-903-7303



Christi Griffin
Area Director

12/22/2014
Date